

Meet Adalimumab-fkjp, the Humira®(adalimumab) biosimilar



Adalimumab-fkjp helps make treating your inflammatory condition as simple as possible

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about Adalimumab-fkjp?

You should discuss the potential benefits and risks of Adalimumab-fkjp with your doctor. Adalimumab-fkjp is a TNF blocker medicine that can lower the ability of your immune system to fight infections. You should not start taking Adalimumab-fkjp if you have any kind of infection unless your doctor says it is okay.

Serious infections

Serious infections have happened in people taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some people have died from these infections. Your doctor should test you for TB before starting Adalimumab-fkjp and check you closely for signs and symptoms of TB during treatment with Adalimumab-fkjp, even if your TB test was negative. If your doctor feels you are at risk, you may be treated with medicine for TB.

Please see additional Important Safety Information and Indications on pages 10-13, and accompanying <u>Full Prescribing</u> Information.

Here for you

Yes, having a chronic condition might feel like a lot.

The good news is that Adalimumab-fkjp may help you treat your condition, and we'll make sure you have the support and information you need to get started and keep going with treatment.

IMPORTANT SAFETY INFORMATION (continued)

Cancer

For children and adults taking TNF blockers, including Adalimumab-fkjp, the chance of getting lymphoma or other cancers may increase. There have been cases of unusual cancers in children, teenagers, and young adults using TNF blockers. Some people have developed a rare type of cancer called hepatosplenic T-cell lymphoma. This type of cancer often results in death. If using TNF blockers, including Adalimumab-fkjp, your chance of getting two types of skin cancer (basal cell and squamous cell) may increase. These types are generally not life-threatening if treated. Tell your doctor if you have a bump or open sore that doesn't heal.



Please see additional Important Safety Information and Indications on pages 10-13, and accompanying Full Prescribing Information.





Adalimumab-fkjp's on your side

Helping you treat inflammation associated with a range of conditions

IMPORTANT SAFETY INFORMATION (continued)

What should I tell my doctor BEFORE starting Adalimumab-fkjp?

Tell your doctor about all of your health conditions, including if you:

 Have an infection, are being treated for infection, or have symptoms of an infection Moderate to Severe

Rheumatoid Arthritis

in Adults

Moderate to Severe Polyarticular

Juvenile Idiopathic Arthritis

in Children 2 Years and Older

Moderate to Severe Chronic

Plaque Psoriasis

in Adults

Ankylosing Spondylitis

in Adults

Moderate to Severe

Crohn's Disease

in Adults and Children 6 Years and Older

Moderate to Severe

Ulcerative Colitis

in Adults

Psoriatic Arthritis

in Adults

Moderate to Severe

Hidradenitis Suppurativa

in Adults

Non-infectious

Uveitis

in Adults

Please see additional Important Safety Information and Indications on pages 10-13, and accompanying Full Prescribing Information.



Adalimumab-fkjp is a biosimilar

Okay, what's a biosimilar?

A biosimilar is a biologic drug that's highly similar to the original approved medicine. Since it's a near-exact copy of the original, there are no clinically meaningful differences between the two drugs.^{1,2}

IMPORTANT SAFETY INFORMATION (continued)

- Get a lot of infections or infections that keep coming back
- Have diabetes
- Have TB or have been in close contact with someone with TB, or were born in, lived in, or traveled where there is more risk for getting TB
- Live or have lived in an area (such as the Ohio and Mississippi River valleys) where there is an increased risk for getting certain kinds of fungal infections, such as histoplasmosis, coccidioidomycosis, or blastomycosis. These infections may happen or become more severe if you use Adalimumab-fkjp. Ask your doctor if you are unsure if you have lived in an area where these infections are common.



Adalimumab-fkjp works like Humira



Provides relief like Humira



And is as safe and as effective as Humira

Plus, Adalimumab-fkjp is made by Biocon Biologics. Their goal is to help make a meaningful difference by creating high-quality biosimilars such as Adalimumab-fkjp—so more people like you can get the treatment they need.

Please see additional Important Safety Information and Indications on pages 10-13, and accompanying <u>Full Prescribing</u> Information.



Click, Click,



Adalimumab-fkjp is built with you in mind, starting with an easy-to-use prefilled pen³



IMPORTANT SAFETY INFORMATION (continued)

- Have or have had hepatitis B
- Are scheduled for major surgery
- Have or have had cancer
- Have numbness or tingling or a nervous system disease such as multiple sclerosis or Guillain-Barré syndrome
- Have or had heart failure
- Have recently received or are scheduled to receive a vaccine. Adalimumab-fkjp patients may receive vaccines, except for live vaccines. Children should be brought up to date on all vaccines before starting Adalimumab-fkjp
- Are allergic to Adalimumab-fkjp or to any of its ingredients
- Are pregnant, planning to become pregnant, breastfeeding, or planning to breastfeed



THERE'S NO BUTTON TO PRESS

That makes injecting with one hand easier. To start the injection, just push the device against the skin.



YOU GET 2 AUDIBLE CLICKS

One click tells you the injection has started and the second click tells you it's done.



REDUCED INJECTION SITE PAIN

Some medicines include citrates that can sting, so we made Adalimumab-fkjp without citrates.



We can determine eligibility for copay assistance that may help lower out-of-pocket costs if you're commercially insured with product coverage. Some patients may pay as little as \$0*.

> *Eligibility restrictions apply. Full terms and conditions available at www.adalimumabfkjp.com/copay

Please see additional Important Safety Information and Indications on pages 10-13, and accompanying Full Prescribing Information.



IMPORTANT SAFETY INFORMATION

What is the most important information I should know about Adalimumab-fkjp?

You should discuss the potential benefits and risks of Adalimumab-fkjp with your doctor. Adalimumab-fkjp is a TNF blocker medicine that can lower the ability of your immune system to fight infections. You should not start taking Adalimumab-fkjp if you have any kind of infection unless your doctor says it is okay.

Serious infections

• Serious infections have happened in people taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some people have died from these infections. Your doctor should test you for TB before starting Adalimumab-fkjp and check you closely for signs and symptoms of TB during treatment with Adalimumab-fkjp, even if your TB test was negative. If your doctor feels you are at risk, you may be treated with medicine for TB.

Cancer

• For children and adults taking TNF blockers, including Adalimumab-fkjp, the chance of getting lymphoma or other cancers may increase. There have been cases of unusual cancers in children, teenagers, and young adults using TNF blockers. Some people have developed a rare type of cancer called hepatosplenic T-cell lymphoma. This type of cancer often results in death. If using TNF blockers, including Adalimumab-fkjp, your chance of getting two types of skin cancer (basal cell and squamous cell) may increase. These types are generally not lifethreatening if treated. Tell your doctor if you have a bump or open sore that doesn't heal.

What should I tell my doctor BEFORE starting Adalimumab-fkjp?

Tell your doctor about all of your health conditions, including if you:

- Have an infection, are being treated for infection, or have symptoms of an infection
- Get a lot of infections or infections that keep coming back
- Have diabetes
- Have TB or have been in close contact with someone with TB, or were born in, lived in, or traveled where there is more risk for getting TB

- Live or have lived in an area (such as the Ohio and Mississippi River valleys) where there is an increased risk for getting certain kinds of fungal infections, such as histoplasmosis, coccidioidomycosis, or blastomycosis. These infections may happen or become more severe if you use Adalimumab-fkjp. Ask your doctor if you are unsure if you have lived in an area where these infections are common.
- Have or have had hepatitis B
- Are scheduled for major surgery
- Have or have had cancer
- Have numbness or tingling or a nervous system disease such as multiple sclerosis or Guillain-Barré syndrome
- Have or had heart failure
- Have recently received or are scheduled to receive a vaccine. Adalimumab-fkjp patients may receive vaccines, except for live vaccines. Children should be brought up to date on all vaccines before starting Adalimumab-fkjp
- Are allergic to Adalimumab-fkjp or to any of its ingredients
- Are pregnant, planning to become pregnant, breastfeeding, or planning to breastfeed
- Have a baby and you were using Adalimumab-fkjp during your pregnancy. Tell your baby's doctor before your baby receives any vaccines

Also tell your doctor about all the medicines you take. You should not take Adalimumab-fkjp with ORENCIA® (abatacept), KINERET® (anakinra), REMICADE® (infliximab), ENBREL® (etanercept), CIMZIA® (certolizumab pegol), or SIMPONI® (golimumab). Tell your doctor if you have ever used RITUXAN® (rituximab), IMURAN® (azathioprine), or PURINETHOL® (6-mercaptopurine, 6-MP).

What should I watch for AFTER starting Adalimumab-fkjp?

Adalimumab-fkjp can cause serious side effects, including:

- Serious infections. These include TB and infections caused by viruses, fungi, or bacteria. Symptoms related to TB include a cough, low-grade fever, weight loss, or loss of body fat and muscle.
- Hepatitis B infection in carriers of the virus. Symptoms include muscle aches, feeling very tired, dark urine, skin or eyes that look yellow, little or no appetite, vomiting, clay-colored bowel movements, fever, chills, stomach discomfort, and skin rash.



IMPORTANT SAFETY INFORMATION (continued)

- Allergic reactions. Symptoms of a serious allergic reaction include hives, trouble breathing, and swelling of your face, eyes, lips, or mouth.
- Nervous system problems. Signs and symptoms include numbness or tingling, problems with your vision, weakness in your arms or legs, and dizziness.
- Blood problems (decreased blood cells that help fight infections or stop bleeding). Symptoms include a fever that does not go away, bruising or bleeding very easily, or looking very pale.
- Heart failure (new or worsening). Symptoms include shortness of breath, swelling of your ankles or feet, and sudden weight gain.
- Immune reactions including a lupus-like syndrome. Symptoms include chest discomfort or pain that does not go away, shortness of breath, joint pain, or rash on your cheeks or arms that gets worse in the sun.
- **Liver problems.** Symptoms of a serious allergic reaction include hives, trouble breathing, and swelling of your face, eyes, lips, or mouth.
- Psoriasis (new or worsening). Symptoms include red scaly patches or raised bumps that are filled with pus.

Call your doctor or get medical care right away if you develop any of the above symptoms.

The most common side effects of Adalimumab-fkjp include injection site reactions (pain, redness, rash, swelling, itching, or bruising), upper respiratory infections (sinus infections), headaches, and rash. These are not all of the possible side effects with Adalimumab-fkjp. Tell your doctor if you have any side effect that bothers you or that does not go away.

Remember, tell your doctor right away if you have an infection or symptoms of an infection, including:

- Fever, sweats, or chills
- Muscle aches
- Cough
- Shortness of breath
- Blood in phlegm
- Weight loss
- Warm, red, or painful skin or sores on your body
- Diarrhea or stomach pain
- Burning when you urinate
- Urinating more often than normal
- Feeling very tired

If you have any questions about this information, be sure to discuss them with your healthcare provider.

APPROVED USE

Adalimumab-fkjp is a prescription medicine used: To reduce To reduce the signs and symptoms of:

- Moderate to severe rheumatoid arthritis (RA) in adults. Adalimumab-fkjp can be used alone, with methotrexate, or with certain other medicines. Adalimumab-fkjp may prevent further damage to your bones and joints and may help your ability to perform daily activities.
- Moderate to severe polyarticular juvenile idiopathic arthritis (JIA) in children 2 years of age and older. Adalimumab-fkjp can be used alone or with methotrexate.
- Psoriatic arthritis (PsA) in adults. Adalimumab-fkjp can be used alone or with certain other medicines.
 Adalimumab-fkjp may prevent further damage to your bones and joints and may help your ability to perform daily activities.
- Ankylosing spondylitis (AS) in adults.
- Moderate to severe hidradenitis suppurativa (HS) in adults.
- To treat moderate to severe Crohn's disease (CD) in adults and children 6 years of age and older.
- To treat moderate to severe ulcerative colitis (UC)
 in adults. It is not known if adalimumab products are
 effective in people who stopped responding to or could
 not tolerate TNF-blocker medicines.
- To treat moderate to severe chronic plaque psoriasis (Ps) in adults who are ready for systemic therapy or phototherapy and are under the care of a doctor who will decide if other systemic therapies are less appropriate.
- To treat non-infectious intermediate (middle part of the eye), posterior (back of the eye), and panuveitis (all parts of the eye) in adults.



APPROVED USES

Adalimumab-fkjp is a prescription medicine used:

- To reduce the signs and symptoms of:
 - Moderate to severe rheumatoid arthritis (RA)
 in adults. Adalimumab-fkjp can be used alone, with
 methotrexate, or with certain other medicines.
 Adalimumab-fkjp may prevent further damage to your
 bones and joints and may help your ability to perform
 daily activities.
 - o Moderate to severe polyarticular juvenile idiopathic arthritis (JIA) in children 2 years of age and older.

 Adalimumab-fkip can be used alone or with methotrexate.
 - Psoriatic arthritis (PsA) in adults. Adalimumab-fkjp can be used alone or with certain other medicines.
 Adalimumab-fkjp may prevent further damage to your bones and joints and may help your ability to perform daily activities.
 - o Ankylosing spondylitis (AS) in adults.
 - Moderate to severe hidradenitis suppurativa (HS) in adults.
- To treat moderate to severe Crohn's disease (CD) in adults and children 6 years of age and older.
- To treat moderate to severe ulcerative colitis (UC) in adults. It is not known if adalimumab products are effective in people who stopped responding to or could not tolerate TNF-blocker medicines.
- To treat moderate to severe chronic plaque psoriasis (Ps) in adults who are ready for systemic therapy or phototherapy and are under the care of a doctor who will decide if other systemic therapies are less appropriate.
- To treat non-infectious intermediate (middle part of the eye), posterior (back of the eye), and panuveitis (all parts of the eye) in adults.

References:

- 1. Adalimumab-fkjp.Prescribing information.Biocon Biologics Inc.2025 2. US Food and Drug Administration. Biosimilar basics for patients. 2023. Accessed December 20, 2023. https://www.fda.gov/drugs/biosimilars/biosimilar-basics-patients
- **3.** Serrecchia T, Waller KA, Ishikawa T, Muniz R, Varricchione TR. Human factors validation for a rheumatoid arthritis auto-injector for the adalimumab biosimilar FKB327. *Int J Hum Factors Ergon*. 2020;7(2):144-160.







Nice to Nice to Vert you

Get to know us better at <u>hulio.com</u> or talk to your doctor today.

Adalimumab-fkjp Logo, BIOCON BIOLOGICS and the Biocon Biologics Logo are registered trademarks of Biocon Biologics Limited. HUMIRA is a registered trademark of AbbVie Inc.

© 2025 Biocon Biologics Inc. All Rights Reserved ADA-2025-00030-US