



Understanding YesafiliTM and Your Eye Condition

See why Yesafili (aflibercept-jbvf) is a treatment option to consider, how it can help you, and what to expect.



IMPORTANT SAFETY INFORMATION

- YESAFILITM (aflibercept-jbvf) Injection is a prescription medicine administered by injection into the eye. You should not use YESAFILI if you have an infection

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).

What is YESAFILI used for?

Your doctor may be prescribing YESAFILI for you.

YESAFILI is used to treat certain eye conditions. This section will help you understand what the condition is and how it affects your vision.

Neovascular (Wet) Age-Related Macular Degeneration (AMD)

AMD occurs when abnormal “leaky” blood vessels grow under the part of the eye responsible for sharp central vision, known as the macula. These fragile vessels can quickly leak fluid or blood, causing a blister-like buildup that disrupts the ability to see fine details clearly.

IMPORTANT SAFETY INFORMATION (Continued)

in or around the eye, active inflammation inside the eye, or known allergies to any of the ingredients in YESAFILI.

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).

Macular Edema Following Retinal Vein Occlusion (RVO)

RVO occurs when a blood clot or blockage in one of the veins in the retina prevents blood from draining properly, creating a backup of pressure. This pressure forces fluid out of the vessels and into the macula, causing sudden swelling behind the eye that results in blurred or grayed vision.

Diabetic Macular Edema (DME)

DME is a complication of diabetes from high blood sugar that can weaken blood vessels supplying the retina, causing them to leak fluid into the macula. This accumulation leads to swelling and thickening of the central retina, which can distort your vision.

Diabetic Retinopathy (DR)

DR is a progressive disease where chronic high blood sugar can damage the network of tiny blood vessels across the entire retina. In its early stages, vessels may bulge or leak. In advanced stages, the eye may grow new fragile vessels that can bleed and lead to significant vision impairment if not managed.

IMPORTANT SAFETY INFORMATION (Continued)

- Injections into the eye with YESAFILI can result in an infection in the eye, retinal detachment (separation of retina from back of the eye) and, more rarely, serious


Please see additional Important Safety Information throughout and [Full Prescribing Information](#).

How does YESAFILI work?

There is a natural protein in your body called VEGF (Vascular Endothelial Growth Factor) which can cause unwanted blood vessels to grow in the eye, which may leak fluids and blood and, in turn, affect your vision.

YESAFILI helps protect your vision by targeting this protein and blocking this process. It helps to reduce swelling and prevents further vision loss in certain eye conditions.


Untreated Eye



VEGF

Anti-VEGF treatment helps stop these leaky blood vessels from growing, which can protect or even improve your vision.

YESAFILI Treated Eye



YESAFILI stops VEGF from causing damage to your eyes. It keeps your vision from getting worse.

IMPORTANT SAFETY INFORMATION (Continued)

inflammation of blood vessels in the retina that may include blockage. Call your doctor right away if you experience eye pain or redness, light sensitivity, or a change in vision after an injection.

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).



How is YESAFILI given and what should you expect?



YESAFILI is given as a small injection into the eye by a trained eye specialist in a clean, safe setting.



The injections are usually given every few weeks, depending on your condition and response to the treatment.



After the injection, your doctor may check your eye pressure and perform other quick tests to make sure everything is fine.



Your vision may be briefly blurry after the injection. It is best to avoid driving or doing anything that requires clear vision during this period.



It is common to notice a bloodshot eye or small floating spots in your vision for a few days after the injection. Some patients have also reported mild discomfort or irritation in the eye after the procedure. These side effects usually go away on their own.

Before starting YESAFILI be sure to tell your doctor if you:

Your doctor will use this information to make sure YESAFILI is safe and right for you.

- Have any infection or redness in or around your eye.
- Have had problems with eye injections in the past.
- Have glaucoma or high pressure in your eye.
- Are allergic to aflibercept or any of the other ingredients of YESAFILI.
- Are pregnant or breastfeeding, think you may be pregnant or are planning to have a baby.
- Are taking, have recently taken or might take any other medicines.
- Have had or are going to have eye surgery within a short time before or after treatment.
- Experience sudden decrease in vision, flashes of light, or floaters.

IMPORTANT SAFETY INFORMATION (Continued)

- In some patients, injections with YESAFILI may cause a temporary increase in eye pressure within 1 hour of the injection. Sustained increases in eye pressure have been reported with repeated injections, and your doctor may monitor this after each injection.

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).

IMPORTANT SAFETY INFORMATION (Continued)

- There is a potential but rare risk of serious side effects related to blood clots, which may lead to heart attack or stroke.

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).

Does YESAFILI have side effects?

Like all medicines, YESAFILI may cause side effects, although not everybody gets them. It is important to know what to watch for.

Vision Changes or Eye Discomfort

- Blurred vision or floaters (small dark shapes in your vision)
- Reduced sharpness or sudden loss of vision
- Eye pain, dryness, or a feeling of having something in the eye
- Seeing flashes of light or floaters

Redness, Swelling, or Signs of Infection

- Red or bloodshot eye
- Swollen eyelids or watery eyes
- Increased redness, pain, or swelling (may indicate infection)
- Inflammation inside the eye
- Serious allergic reactions (such as swelling or difficulty breathing) — seek immediate medical attention

IMPORTANT SAFETY INFORMATION (Continued)

- The most common side effects reported in adult patients receiving aflibercept were increased redness in the eye, eye pain, cataract, vitreous (gel-like substance) detachment, vitreous floaters, moving spots in the field of vision, and increased pressure in the eye.

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).



Injection Site Reactions

- Pain, redness, or slight bleeding where the injection is given.

If you notice any unusual symptoms or if your symptoms worsen, contact your healthcare professional immediately.

IMPORTANT SAFETY INFORMATION (Continued)

- You may experience temporary visual changes after a YESAFILI injection and associated eye exams; do not drive or use machinery until your vision function recovers sufficiently.

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).

What is a Biosimilar?



YESAFILI is a biosimilar medicine.

Yesafili has no clinically meaningful differences in safety or effectiveness of Eylea.



Similar treatment, similar results

Years of research and testing go into the development of a biosimilar. That means YESAFILI:

- Works the same way
- Helps protect your vision the same way
- Has the same safety and quality as you can expect from Eylea



Reviewed by the U.S. Food and Drug Administration (FDA)

FDA-approved biosimilars meet the same standards of safety, effectiveness, and quality as their reference biologics.

IMPORTANT SAFETY INFORMATION

- For additional safety information, please talk to your doctor and see the Full Prescribing Information for YESAFILI.

Please see additional Important Safety Information throughout and [Full Prescribing Information](#).





Biocon Biologics remains focused on providing affordable access to high-quality biosimilars, such as YESAFILI.

INDICATIONS

YESAFILI is a vascular endothelial growth factor (VEGF) inhibitor indicated for the treatment of patients with:

- Neovascular (Wet) Age-Related Macular Degeneration (AMD)
- Macular Edema following Retinal Vein Occlusion (RVO)
- Diabetic Macular Edema (DME)
- Diabetic Retinopathy (DR)

IMPORTANT SAFETY INFORMATION

- YESAFILI™ (aflibercept-jbvf) Injection is a prescription medicine administered by injection into the eye. You should not use YESAFILI if you have an infection in or around the eye, active inflammation inside the eye, or known allergies to any of the ingredients in YESAFILI.
- Injections into the eye with YESAFILI can result in an infection in the eye, retinal detachment (separation of retina from back of the eye) and, more rarely, serious inflammation of blood vessels in the retina that may include blockage. Call your doctor right away if you experience eye pain or redness, light sensitivity, or a change in vision after an injection.
- In some patients, injections with YESAFILI may cause a temporary

increase in eye pressure within 1 hour of the injection. Sustained increases in eye pressure have been reported with repeated injections, and your doctor may monitor this after each injection.

- There is a potential but rare risk of serious side effects related to blood clots, which may lead to heart attack or stroke.
- The most common side effects reported in adult patients receiving aflibercept were increased redness in the eye, eye pain, cataract, vitreous (gel-like substance) detachment, vitreous floaters, moving spots in the field of vision, and increased pressure in the eye.
- You may experience temporary visual changes after a YESAFILI injection and associated eye exams; do not drive or use machinery until your vision function recovers sufficiently.
- For additional safety information, please talk to your doctor and see the Full Prescribing Information for YESAFILI.

You are encouraged to report negative side effects of prescription drugs to the FDA.

Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.



YESAFILI is a trademark of Biocon Biologics Limited. BIOCON BIOLOGICS and the Biocon Biologics Logo are registered trademarks of Biocon Biologics Limited. Eylea is a registered trademark of Regeneron Pharmaceuticals, Inc. ©2026 Biocon Biologics Inc. All Rights Reserved. AFL-2026-00050-US